EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	132	(communication adj4 capacity adj4 utiliz$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 09:56
L2	228	(702/59).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/11 09:58
L3	107	2 and communication	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 09:58
L4	14	3 and capacity	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 09:59
L5	3268	(709/226).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/11 10:02
L6	703	5 and traffic and capacity	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 10:02
L9	544	6 and (compar$4 or difference or subtract $3 or minus)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 10:03
L12	573	(702/181).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/11 10:28
L14	0	12 and ((compar$4 or difference or subtract or minus) with capacity with expected with (current or actual))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 10:28
L15	0	6 and ((compar$4 or difference or subtract or minus) with capacity with expected with (current or actual))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 10:28
L16	1494	(702/183).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/07/11 10:29

L17	0	16 and ((compar$4 or difference or subtract or minus) with capacity with expected with (current or actual))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/07/11 10:29
S1	0	(reliable or reliability) and ((startup or initialization) with time) and (RAM or (random adj access adj memory)) and (integrity with (storage or memory)) and (sampl$3 or interval) and temperature and sens$3 and (failure with rate) and index and condens$3 and air and diode and (ambient with temperature) and stress	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 16:48
S2	2697	(reliable or reliability).ab. and sens$3 and (memory or storage) and temperature	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 16:50
S3	13	(electric and component and (reliable or reliability)).ab. and sens$3 and (memory or storage) and temperature	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 16:50
S4	49	(electric$2 and component and (reliable or reliability)).ab. and sens$3 and (memory or storage) and temperature	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 16:52
S5	0	S4 and ((MTBF or (mean adj time adj between adj failure))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 16:53
S6	2301	((MTBF) or (mean adj time adj between adj failure))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/05 12:35
S7	1344	S6 and reliability	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 17:00

S8	496	S7 and sensor	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 17:00
S9	346	S8 and temperature	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 17:01
S10	90	S9 and (RAM or (random adj access adj memory))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 17:33
S11	1359	weibull	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 10:12
S12	565	S11 and (reliable or reliability)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 17:34
S13	6	(US-20040186927-$ or US-20040044499-$).did. or (US-6385739-$ or US-6199018-$ or US-6671647-$ or US-5715180-$).did.	US-PGPUB; USPAT	OR	ON	2006/04/20 15:17
S14	1	S13 and air	US-PGPUB; USPAT	OR	ON	2006/04/20 15:18
S15	0	S13 and integrity	US-PGPUB; USPAT	OR	ON	2006/04/20 15:24
S16	0	efficient with integrity with check with (ROM or flash or (non adj volatile))	US-PGPUB; USPAT	OR	ON	2006/04/20 15:25
S17	0	efficient with integrity with check$3 with (ROM or flash or (non adj volatile))	US-PGPUB; USPAT	OR	ON	2006/04/20 15:25
S18	0	advantag$4 with integrity with check$3 with (ROM or flash or (non adj volatile))	US-PGPUB; USPAT	OR	ON	2006/04/20 15:25
S19	14	ensure with integrity with check$3 with (ROM or flash or (non adj volatile))	US-PGPUB; USPAT	OR	ON	2006/04/20 15:49
S20	1644	(temperature with sensor with air with intake) and (temperature with sensor with air with exhaust)	US-PGPUB; USPAT	OR	ON	2006/04/20 15:51

S21	26	((temperature with sensor with air with intake) same (ensure or advantag$4 or efficient$2)) and (temperature with sensor with air with exhaust)	US-PGPUB; USPAT	OR	ON	2006/04/20 16:01
S22	13	((temperature with sensor with air with intake) same reliab$4) and (temperature with sensor with air with exhaust)	US-PGPUB; USPAT	OR	ON	2006/04/20 16:03
S23	21	((temperature with sensor with intake) same reliab$4) and (temperature with sensor with exhaust)	US-PGPUB; USPAT	OR	ON	2006/04/20 16:35
S24	968	(702/183).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/04/20 16:35
S25	366	(702/181).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/04/20 16:35
S26	5359	"line card"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/04/20 18:21
S27	279	"line card" with test$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/04/20 18:21
S28	250	("line card" with test $4) and network	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/04/20 18:29
S29	27	("line card" with test $4).ab. and network	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/04/20 18:41
S30	27	("line card" with test $4).ab. and network and ("line card" with test$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/04/20 18:41
S31	8	weibull adj law	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 10:12
S32	10786	humidity adj sensor	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 11:43
S33	73	(humidity adj sensor) same expected	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 11:49

S34	305	(humidity adj sensor) and "702"/$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 11:55
S35	379	(humidity adj sensor) and (humid$4 with reliab$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 11:56
S36	224	(humidity adj sensor) same (humid$4 with reliab$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 12:16
S37	0	transistor adj utilization adj percentage	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 12:17
S38	3	bandwidth adj usage adj percentage	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 12:17
S39	10879	((MTF) or (mean adj time adj3 failure))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 09:21
S40	443	S39 and (failure adj rate)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/05 12:37
S41	62	S40 and "702"/$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 09:22
S42	739	(input$4 or enter$4) with ((MTF) or (MTTF) or (MTBF) or (mean adj time adj3 failure))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 14:19
S43	25	S42 and "702"/$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 09:22
S44	59	("20020072988" | "20020143564" | "20020156692" | "20030036939" | "20030216888" | "20040019577" | "4744026" | "4908775" | "5216612" | "5295065" | "5311562" | "5331579" | "5343388" | "5434775" | "5596507" | "5630070" | "5710723" | "5737728" | "5754451" | "5778381" | "5826236" | "5877961" | "5890133" | "5918219" |	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/07 10:11

		"5920846" | "5931878" | "5963911" | "5970437" | "5987474" | "5995915" | "6014633" | "6038539" | "6067486" | "6078912" | "6101481" | "6110214" | "6128543" | "6175934" | "6192325" | "6230200" | "6230480" | "6308162" | "6321207" | "6349274" | "6418361" | "6496814" | "6571158" | "6580982" | "6598940" | "6606546" | "6671593" | "6678716" | "6684136" | "6691006" | "6691064" | "6738748" | "6801820" | "6810406" | "6820038").PN. OR ("7124059").URPN.				
S45	5	S44 and ((MTF) or (MTTF) or (MTBF) or (mean adj time adj3 failure) or (failure with rate))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 10:12
S46	31	S42 and (failure with rate)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 10:33
S47	89	(input$4 or enter$4) with ((MTF) or (MTTF) or (MTBF) or (mean adj time adj3 failure)) and ((adjust$4 or update$4) with ((MTF) or (MTTF) or (MTBF) or (mean adj time adj3 failure)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 14:20
S48	121	(communication adj4 capacity adj4 utiliz$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 12:32
S49	24	S48 and test$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 13:47

S50	5	(test$3 with communication with traffic) same expect$3 same actual$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 14:30
S51	32	reciprocal with temperature with stress	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 14:30
S52	0	reciprocal with temperature with stress with actual with expected	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 14:30

7/11/2008 10:37:00 AM
C:\ Documents and Settings\ jsuglo1\ My Documents\ EAST\ Workspaces\ 10603382 -
Component reliability.wsp